



# Cloudera Enterprise Reference Architecture

A PSSC Labs Reference Architecture Guide  
March 2018



## Introduction

PSSC Labs continues to bring innovative compute server and cluster platforms to market. Focusing on specific applications where performance and reliability are critical, highlights PSSC Labs strengths. The Apache Hadoop data framework requires substantial compute and storage capabilities coupled tightly together. Cloudera Enterprise adds layers of unification, security and management.

PSSC Labs is the first manufacturer to design a server platform specifically for Hadoop. Introducing the World's highest density, lowest power consuming, Enterprise Ready Big Data server platform designed specifically for Hadoop workloads. The CloudOOP 12000 offers the absolute highest possible compute and storage density combined with high performance Data IO throughput. PSSC Labs already delivers the CloudOOP 12000 for small POC to large production clusters spanning hundreds of nodes. To date, over 100 PB+ of Hadoop storage has been deployed on the CloudOOP 12000.



## Key Features:

- Reduce Data Center Footprint By 50%
- Reduce Power Consumption By 40%
- Nearly 50% Greater Data IO Rates
- Patent Pending Tool Free Maintenance

## Technical Specifications:

- Up to 12 x 3.5" SATAIII or 14 x SSDs in 1U Rack Space
  - 120 TB using twelve x 10 TB Hard Drives
  - Optional 2 x NVMe SSDs
- Supports UP to 2 x Intel® Xeon® Scalable Processors
- Supports Up to 512 GB ECC Enterprise Memory
- 10 GigE, 40 GigE, 100GigE & Infiniband Network Support
- Red Hat®, CentOS, Ubuntu, MS Windows® Compatible



## CloudOOP 12000 Sample Configurations

Every organization or use case requires different computing needs. The CloudOOP 12000 offers the greatest flexibility possible. Below are three different proposed architectures for different workloads: high density storage, high computational requirements and a balanced configuration.

### CloudOOP 12000 High Density

- 72 TB Total Storage
- 20 Xeon Scalable CPU Cores
- 128 GB ECC Memory
- 2 x 10GigE Network Ports
- 2 x GigE Network Ports
- Remote IPMI Management
- CentOS Linux OS
- Power Draw Estimate  
215 Watt Idle / 275 Watt Full Load

### CloudOOP 12000 High Compute

- 24 TB Total Storage
- 40 Xeon Scalable CPU Cores
- 512 GB ECC Memory
- 2 x 10GigE Network Ports
- 2 x GigE Network Ports
- Remote IPMI Management
- CentOS Linux OS
- Power Draw Estimate  
265 Watt Idle / 380 Watt Full Load

### CloudOOP 12000 Balanced

- 48 TB Total Storage
- 24 Xeon Scalable CPU Cores
- 256 GB ECC Memory
- 2 x 10GigE Network Ports
- 2 x GigE Network Ports
- Remote IPMI Management
- CentOS Linux OS
- Power Draw Estimate  
230 Watt Idle / 315 Watt Full Load

A Sample of Organizations Currently Using PSSC Labs CloudOOP 12000 Servers



Spectrum



Symphony<sup>™</sup>  
HEALTH SOLUTIONS



Integral  
Ad Science



OpenX



TREMOR  
VIDEO



rubicon<sup>®</sup>  
PROJECT



MITRE



CyberSecurity  
MALAYSIA

## CloudOOP RAX: Cloudera Enterprise Validated Turn Key Cluster

PSSC Labs offers a complete, turn-key cluster that is ready to run on delivery. PSSC Labs understands everything that is necessary for a successful deployment. All necessary hardware including servers, network equipment, power and infrastructure are included. PSSC Labs Cluster Engineers preconfigure network, storage, operating system and BIOS settings to the end user's specifications. Cloudera Enterprise is installed at PSSC Labs factory. The final step is the running of sample data sets to ensure proper functionality and performance. Below is an overview of each different server platform PSSC Labs offers for Cloudera Enterprise turn-key deployments. Depending on the complexity of the environment, some software resources can be installed on different server platforms.

CLOUDOOP 12000 DATA NODE		
Tech Specs	Key Features	Software Resource
<ul style="list-style-type: none"> <li>○ 1U High Density Form Factor</li> <li>○ 2 x Intel® Scalable Processors</li> <li>○ 12 x SATAIII or SAS Hard Drives or 14 x SSDs</li> <li>○ 24 TB to 120 TB Storage</li> <li>○ 64 GB to 512 GB ECC Memory</li> <li>○ 2 x GigE Network Adapters</li> <li>○ Optional 10 GigE, 40 GigE, Infiniband Support</li> <li>○ Dedicated IPMI / iKVM</li> </ul>	<ul style="list-style-type: none"> <li>○ Enterprise Platform</li> <li>○ Redundant Power Supply</li> <li>○ Improved Data IO Throughput</li> <li>○ 40% Reduction in Power Consumption</li> <li>○ 2 x the Density of Standard Server</li> <li>○ Flexible Configuration Options</li> <li>○ 3 Year Warranty Included (24 x 7 x 365 NBD Available)</li> </ul>	<ul style="list-style-type: none"> <li>○ DataNode Daemon</li> <li>○ Ganglia Monitor</li> <li>○ Region Server</li> <li>○ Node Manager</li> <li>○ Supervisor</li> </ul>

CLOUDSEEK 1000xR MANAGEMENT NODE (NAME NODE & SECONDARY NAME NODE)		
Tech Specs	Key Features	Software Resources
<ul style="list-style-type: none"> <li>○ 2 x Intel® Xeon® Scalable CPUs</li> <li>○ 1 TB to 24 TB SATA III, SAS, SSD Hard Drives</li> <li>○ 64 GB to 512 GB ECC Memory</li> <li>○ 2 x GigE Network Adapters</li> <li>○ Optional 10GigE, 40GigE, Infiniband Support</li> <li>○ Dedicated IPMI / iKVM</li> </ul>	<ul style="list-style-type: none"> <li>○ Enterprise Platform</li> <li>○ Redundant Power Supply</li> <li>○ Redundant Storage</li> <li>○ Raid Levels 0,1,5,6,10,50</li> <li>○ Flexible Configuration Options</li> <li>○ 3 Year Warranty Included (24 x 7 x 365 NBD Available)</li> </ul>	<ul style="list-style-type: none"> <li>○ App Timeline Server</li> <li>○ DRPC Server</li> <li>○ Ganglia Monitor</li> <li>○ HDFS Client</li> <li>○ NameNode / Secondary NN</li> <li>○ Oozie Server / Client</li> <li>○ Yarn Client</li> <li>○ Zookeeper Server / Client</li> <li>○ HDFS Client</li> <li>○ MySQL Server</li> </ul>

## CLOUDSEEK 1000xR EDGE NODE

Tech Specs	Key Features	Resources
<ul style="list-style-type: none"> <li>○ 2 x Intel® Xeon® Scalable CPUs</li> <li>○ 1 TB to 24 TB SATA III, SAS, SSD Hard Drives</li> <li>○ 64 GB to 512 GB ECC Memory</li> <li>○ 2 x GigE Network Adapters</li> <li>○ Optional 10GigE, 40GigE, Infiniband Support</li> <li>○ Dedicated IPMI / iKVM</li> </ul>	<ul style="list-style-type: none"> <li>○ Enterprise Platform</li> <li>○ Redundant Power Supply</li> <li>○ Redundant Storage</li> <li>○ Raid Levels 0,1,5,6,10,50</li> <li>○ Flexible Configuration Options</li> <li>○ 3 Year Warranty Included (24 x 7 x 365 NBD Available)</li> </ul>	<ul style="list-style-type: none"> <li>○ Hive Server / Client</li> <li>○ Tez Client</li> <li>○ Nimbus</li> <li>○ Nagios Server</li> </ul>

## CLOUDOOP Rax Turn-Key Cluster Sample Configurations

### HDP Rax 150

- 150 TB Total Storage
- 2 Name Node
- 6 Data Nodes
- 120 Xeon Scalable CPU Cores
- 768 GB ECC Memory
- 10 GigE Network Backplane
- Remote IPMI Management
- CentOS Linux OS
- HDP Installation Service
- HDP Validation Service

### HDP Rax 500

- 500 TB Total Storage
- 2 Name Nodes
- 1 Edge Node
- 12 Data Nodes
- 240 Xeon CPU Cores
- 1536 GB ECC Memory
- 10GigE Network Backplane
- Remote IPMI Management
- CentOS Linux OS
- HDP Installation Service
- HDP Validation Service
- Rack & Roll Service

### HDP Rax 1500

- 1500 TB Total Storage
- 2 Name Nodes
- 1 Edge Node
- 30 Data Nodes
- 600 Xeon Scalable CPU Cores
- 3840 GB ECC Memory
- 10GigE Network Backplane
- Remote IPMI Management
- CentOS Linux OS
- HDP Installation Service
- HDP Validation Service
- Rack & Roll Service



"We believe strongly in our ability to deliver the highest performance, highest reliability server platforms to Cloudera end users. Our experience delivering clusters ranging from several hundred TBs to several dozen PBs ensures a successful Cloudera Enterprise deployment."

**Larry Lesser**  
PSSC Labs, CTO



## Total Cost of Ownership Comparison

PSSC Labs goal is to offer solutions with the absolute lowest total cost of ownership. The below chart compares different server manufacturer's solution for a 1 Petabyte (raw) Hadoop environment. PSSC Labs CloudOOP Rax 1000 requires 50% less rack space and consumes 40% less power

	PSSC Labs CloudOOP Rax 1000 for 1PB Total Storage Space	Dell Configuration for 1PB Total Storage	HP Configuration for 1PB Total Storage	Lenovo Configuration for 1PB Total Storage
Required Data Center Footprint	Single x 42U Rack	Two x 42U Rack	Two x 42U Rack	Two x 42U Rack
Power Consumption Estimate*	4300 Watts Total @ Idle 5500 Watts Total @ Load	5800 Watts Total @ Idle 8500 Watts Total @ Load	6000 Watts Total @ Idle 8800 Watts Total @ Load	5700 Watts Total @ Idle 8700 Watts Total @ Load
Required Power Circuits	Two x 30 Amp / 208V / Single Phase	Four x 30 Amp / 208V / Single Phase	Four x 30 Amp / 208V / Single Phase	Four x 30 Amp / 208V / Single Phase
Pre-installation and Validation of Cloudera Enterprise at Factory	Yes. Cloudera Enterprise preinstalled and tested.	No. Additional services and fees required.	No. Additional services and fees required.	No. Additional services and fees required.
Onsite Physical Installation	Yes. Cluster arrives pre-racked, cabled and labeled.	No. Additional services and fees required.	No. Additional services and fees required.	No. Additional services and fees required.
Cluster Management Training	Yes.	No. Additional services and fees required.	No. Additional services and fees required.	No. Additional services and fees required.
Dedicated Remote Monitoring Capabilities	Yes. IPMI 2.0 Network Standard	Yes.	Yes.	Yes.
Hardware Warranty	3 Year NBD Service Available.	3 Year NBD Service Available.	3 Year NBD Service Available.	3 Year NBD Service Available.

\*Dell, HP and Lenovo power estimates based on manufacturers website power draw estimates.